

EXPANDED BEAM INTERCONNECT SOLUTIONS


ROBUST. VERSATILE. EASY-TO-USE.

CONNECTOR BODIES



HARSH ENVIRONMENT SOLUTIONS

- Multichannel: 1-12 channels available
- Hybrid optical and electrical option



EXPANDED BEAM INTERCONNECTS

LENSED REVOLUTION



ROBUST.
VERSATILE.
EASY-TO-USE.



Headquarters
DIAMOND SA
via dei Patrizi 5
CH-6616 Losone TI
Tel. +41 58 307 45 45
info@diamond-fo.com

www.diamond-fo.com

v. 07/2020




THE PRINCIPAL OF EXPANDED BEAM

DISCOVER NEW POSSIBILITIES


Unlike conventional ferrules, the lensed-ferrule operates on the Expanded Beam principle, ensuring reliable and maintenance-free optical connections with insensitivity to dirt and debris. The use of high precision components and unique assembly techniques results in a highly repeatable, low insertion loss ferrule, that opens new perspectives in the context of optical connections, where mating-cycles, dust insensitivity, reliability and low losses are required.

Advantages of Expanded Beam

- Non-contact connection
- State-of-the-art optical performance
- High rate of mating cycles
- Insensitive to dirt and debris
- Low risk of damage
- Multichannel: 1-12 channels available
- High data rate capacity
- Easy cleaning process
- 150 x larger beam area



Butt-joint connection



Expanded Beam connection

MODULAR LENSED INTERCONNECTS

ROBUST & HIGH PERFORMING


EXPANDED BEAM (XB) LENSED-FERRULE

- High precision connector ferrule
- Single mode fibers 9µm
- Low Insertion Loss
- High power compatibility
- On-site installable / field-repairable
- Various connector bodies available



XB lensed-ferrule

Features



Optical specifications

Insertion Loss	Typical 0.6dB / Maximum 1dB per connection
Return Loss	Minimum 35dB
Optical power	Up to 3 Watts@1550nm

Short-term test on factory assembled E-2000® XB connectors in laboratory environment