


## INSPECTION EQUIPMENT

DIAMOND Video Inspection Microscope Kit		
P.N	Description	Image/Photo
1081582	<p>Complete inspection and cleaning kit:</p> <ul style="list-style-type: none"> <li>- OLP-82P microscope with built-in Powermeter</li> <li>- P5000i digital inspection probe with SC, LC (PC) tips for in-adapter inspection</li> <li>- universal adapter 1.25mm and 2.5mm for free PC connectors</li> </ul>	
<b>Delivery list - 1081582</b>		
AUR	Hard case: 400 x 320 x 200 mm; (15.7 x 12.6 x 7.8 inches)	
AUR	<p>OLP-82P microscope with built-in Powermeter</p> <ul style="list-style-type: none"> <li>- P5000i digital inspection probe, including SC, LC (PC) tips for in-adapter inspection.</li> <li>- Universal adapter 1.25mm and 2.5mm for inspecting free PC connectors.</li> <li>- Universal adapter 1.25mm and 2.5mm for powermeter</li> <li>- Power source AC</li> <li>- Battery pack (rechargeable Li ion)</li> <li>- Battery holder 8x for AA batteries (not rechargeable)</li> </ul>	
1038981	CLETOP esay clean cassette Type B	
1065369	Cletop cleaning sticks L=150mm ø2.5 5pcs	
1020857	Cletop cleaning sticks L=150mm ø1.25 5pcs	
1070135	Alcohol dispenser 150ml without alcohol	
1070137	Spender box with fibre optic lint-free wipes 10x10 cm 100 pcs.	
1048757	Empty sectioned plastic box 17X12X3.5 cm	
AUR	World adapter	
1019034	Service Adapter E-2000™	
1019483	Service Adapter F-3000™	

1031687	E-2000 body for cleaning the mating adapter	
1066909	F-3000 body for cleaning the mating adapter	

Version 01 18

**P5000i Digital inspection probe (in-adapter inspection)**






P.N	Description	Image/Photo
1074601	P5000i Digital inspection probe, including universal 2.5mm (PC) tip for free connector inspection. Laptop excluded.	



















Version 01 18








**Optional tips for P5000i Digital inspection probe (Tips not listed upon request)**



P.N	Description	Image/Photo
-----	-------------	-------------

1089287	DiaLink APC male inspection adapter <b>DLM8°- I</b>	
1089290	DiaLink PC male inspection adapter <b>DLM0°- I</b>	
1089291	DiaLink APC female inspection adapter <b>DLF8°- I</b>	
1089292	DiaLink PC female inspection adapter <b>DLF0°- I</b>	
1089293	DiaLink APC/PC male cleaning adapter <b>DLM- C</b>	








1087188	<b>Long reach adapter for inspecting the following:</b> E-2000™ APC/PC/4° for in-adapter inspection	FBT-E2000-N (not modified) 
1090197	<b>This set has replaced P.N:1078533 and P.N:1090201.</b>  Set for inspecting the following: E-2000™ APC/4°/PC for in-adapter inspection HE-2000™ APC/4°/PC for connector inspection HE-2000™ APC/4°/PC for bulkhead inspection MIL-38999 DM APC/4°/PC for connector+bulk-head inspection MIL83526 DM APC/4°/PC for connector+bulk-head inspection <i>(The set contains adapter tip &amp; reduced cap fitting)</i>	  FBT-E2000-N (modified)  With reduced cap fitting
1090196	Spare reduced cap fitting for above long reach 0° adapter (1090197) For DM insert inspection	
1083962	Spare reduced cap fitting for old long reach 4° adapter (1078533) for DM insert inspection	
1074602	F-3000™ PC for in-adapter	
1074608	F-3000 APC for in-adapter	
1074605	FC PC for in-adapter	
1074603	FC APC for in-adapter	
1074606	SC PC for in-adapter	
1074607	SC APC for in-adapter	
1074604	ST PC for in-adapter	
1079313	Mini AVIM PC for in-adapter	
1079317	Mini AVIM APC for in-adapter	
1079315	Mini AVIM ferrule cleaner guide for in-adapter cleaning (bulkhead) For Seikoh Giken Ferrule cleaner 2.5 mm PN:1030609	
1080864	Set for Avim in-adapter APC/PC inspection. (bulkhead) Barrel & adapter	
1083076	Long reach DiaFlex/MPO 8° Includes both X + Y axis panning. (FYI standard version has only X-axis)	
AUR	Long reach DiaFlex/MPO 0° Includes both X + Y axis panning. (FYI standard version has only X-axis)	
1083078	Tip for Long reach DiaFlex/MPO 0°	




1083992	Adapter for inspecting & cleaning DiaFlex	
1074973	Adapter for ELIO female inspection (Information: for male ELIO connector use universal 2.5mm PC tip SAP:1074969 )	
1083975	Adapter for Deutsch female inspection (Information: for male Deutsch connector use universal 2.5mm PC tip SAP:1074969 )	
1074970	1.25mm PC for free connector	
1074972	1.25mm APC for free connector	
1074969	2.5mm PC for free connector	
1074971	2.5mm APC for free connector	





Version 01 18








**Optional adapters for video inspection/hand microscope to inspect connectors**








P.N	Description	Image/Photo
1074260	F-3000™ Adapter 0° for free simplex/duplex connectors	
1084945	F-3000™ Adapter 4° (PS) for free simplex/duplex connectors	
1084954	F-3000™ Adapter 8° for free simplex/duplex connectors	
1075023	E-2000™ Adapter 0° for free simplex/duplex/Revos connectors	
1084955	E-2000™ Adapter 4° (PS) for free simplex/duplex/Revos connectors	
1084956	E-2000™ Adapter 8° for free simplex/duplex/Revos connectors	
1070129	Ø1.25mm adapter PC for free simplex connectors	

1070134	Ø2.5mm adapter PC for free simplex connectors	
1083929	Ø2.5mm adapter APC for free simplex connectors	
1072305	Ø3.175mm SMA Adapter PC for free simplex connectors	

Assessories		
P.N	Description	Image/Photo
1071628	Visual Fault Locator (ML3) Pen style	
1067799	Adapter 2.5mm --> 1.25mm for Visual Fault Locator	
1073003	Patchcord for Optical Fault Locator SM L= 2m E-2000™ PC / FC PC (E-2000™ with slightly recessed ferrule)	
1071229	Patchcord for Optical Fault Locator SM L= 2m F-3000™ PC / FC PC (F-3000™ with slightly recessed ferrule)	

Consumables		
P.N	Description	Image/Photo
1030609	Seikoh Giken Ferrule cleaner 2.5 mm	
1038865	Seikoh Giken Ferrule cleaner 1.25 mm	
1070125	Standard IBC-M250 for in adapter cleaning 2.5mm PC/APC	
1080656	Special IBC-M250 for in adapter cleaning 2.5mm PC/APC + DM insert	
1083813	DiaFlex/MPO Ferrule cleaner "IBC"	
1070131	IBC-1.25 for in adapter cleaning (1.25mm PC/APC)	
1083404	Stopper for 1.25 IBC cleaner (1070131) to clean in-adapter DiaLink male	

<p>1085130 DiaLink cleaner (Stopper + IBC cleaner 1.25 for DiaLink in-adapter cleaning)</p>	
<p>1070130 Fibre optic lint-free wipes to refill spender box 100pcs.</p>	
<p>1038970 Replacement reel for Cletop Cassette Cleaner Type B</p>	
<p>1073654 Sticklers™ cleaner. The product fulfils flight regulations (non-flammable).</p>	
<p>1074474 30ml sealed isopropyl alcohol. (The product fulfils flight regulations. It can be transported by plane)</p>	
<p>IP FITP-RBP2 SmartClass Fiber Li-Ion Battery Pack for OLP-82P microscope</p>	